Cake Distro.

Customer:

Sample ID:

1007 West Grove Avenue Orange, CA 92865

D8SC0121 / Strawberry Cough

Laboratory Number: ATL-1606



Report Issue Date 10/1/2021

Extraction Technician: HP

Analytical Chemist: HP

Hernan Prieto

Sample

Description/Size:

D8 Diamond Sauce

Unit Weight: 2.5g



Order Date 9/27/2021

Analysis Date 9/28/2021

CANNABINOID **PROFILE**

Cannabinoids (HPLC	Resu	Results		Cannabinoid (%)									
Test	LOD (%)	mg/jar	%	0		20	V	40	#	60	80		100
Cannabidivarin (CBDV)	<0.05	0	0							//	#		
Cannabidiolic Acid (CBD-A)	<0.04	0	0										
Cannabigerolic Acid (CBG-A)	<0.04	0	0			1	//	1.		1			
Cannabigerol (CBG)	<0.05	0	0						_				
Cannabidiol (CBD)	<0.05	1134.7	45.39	IIII		IIIIIII							
Cannabinol (CBN)	<0.05	0	0										
Delta 9-Tetrahydrocannabinol (THC)	<0.05	0	0										
Delta 8-Tetrahydrocannabinol	<0.05	1214.7	48.59		ЩЩ	HHI	MIM		THE				
Delta 10-Tetrahydrocannabinol (THC)	<0.05	0	0	1.(1				1		
Cannabichromene(CBC)	<0.05	0	0						1				
Delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.04	0	0										

Cannabinoids Total

Test		mg/jar %	0 20 40 60 80 100
Max Active THC		0 0	
Max Active CBD		1134,7 45.39	
T.Active Cannabi	noids	2349.4 93.98	
Total Cannabinoi	ds	2349.4 93.98	

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.



N/D = Not Detected